

| LECO # | Alpha # | Description |
|---------|----------------|--|
| 145-601 | <u>AR5601</u> | Water Temp Regulator |
| 156-002 | <u>AR002</u> | "O" Ring (Upper Electrode) |
| 156-004 | <u>AR005</u> | Teflon Backup Seal |
| 163-012 | <u>AR63012</u> | Tubing Insert |
| 170-001 | <u>AR0001</u> | Spring, Lower Electrode |
| 172-505 | <u>AR2505</u> | Teflon Tubing, 1/4" OD |
| 175-573 | <u>AR5573</u> | Tear Off Blade |
| 175-574 | <u>AR5574</u> | Optical Switch Assembly |
| 175-590 | <u>AR5590</u> | Pump Repair Kit, SC32/132 |
| 175-631 | <u>AR5631</u> | Motor Brush for 774-571 |
| 175-632 | <u>AR5632</u> | "O" Ring, Flow Controller |
| 175-659 | <u>AR5659</u> | Paper Deflector V55147 |
| 175-673 | <u>AR5673</u> | Print Head |
| 175-674 | <u>AR5674</u> | Tear Off Blade Spring |
| 183-001 | <u>AR2174</u> | Alphasolve II, 20-30 Mesh |
| 188-012 | <u>AR293</u> | Small Throat Brush |
| 190-142 | <u>AR142</u> | Screws for Lower Electrode, 4 Required |
| 190-739 | <u>AR739</u> | Nylon Spacer Screw |
| 194-060 | <u>AR4060</u> | Hex Jam Nut for AR5814 |
| 204-001 | <u>AR001</u> | Thermoregulator TC30, TN14n RO16 |
| 501-001 | <u>AR1701</u> | Coal Standard, 0.4% Sulfur |
| 501-005 | <u>AR1704</u> | Coal Standard, 1.0% Sulfur |
| 501-008 | <u>AR008</u> | Alphacel II Tungsten, 2.2 Kg |
| 501-009 | <u>AR1009</u> | Spring Clip for Dust Trap |
| 501-010 | <u>AR010</u> | Dust Trap Complete |
| 501-011 | <u>AR011</u> | Dust Trap Body Insert |
| 501-012 | <u>AR011B</u> | Dust Trap Reservoir |
| 501-013 | <u>AR013</u> | Filter Cloths, Package of 10 |
| 501-014 | <u>AR1705</u> | Coal Standard, 1.5% Sulfur |
| 501-020 | <u>AR1708</u> | Coal Standard, 3.0% Sulfur |
| 501-022 | <u>AR1709</u> | Coal Standard, 3.5% Sulfur |
| 501-024 | <u>AR322</u> | Grey Iron Standard 150g, 3.35% C, 0.041% S |
| 501-027 | <u>AR204</u> | Aspirator Bulb |
| 501-031 | <u>AR031</u> | Induction Coil, Hydrocarbon |
| 501-034 | <u>AR1034</u> | Calcium Carbonate, 12%, 50g |
| 501-045 | <u>AR1045</u> | Zircon Crucible, CHN 900 |
| 501-046 | <u>AR2021</u> | Sucrose Standard, 50g |
| 501-053 | <u>AR1053</u> | Acetanilide Standard, 10g |
| 501-057 | <u>AR079G</u> | Alphanal, 1 Gallon |
| 501-059 | <u>AR059</u> | Tin Capsules, 100/Bottle |
| 501-060 | <u>AR060</u> | Manganese Dioxide 30 CC |

| | | |
|-------------|----------------|---|
| 501-061 | <u>AR1061</u> | Arrowroot Starch, 227g |
| 501-062 | <u>AR061</u> | Boat Puller |
| 501-067 | <u>AR067</u> | Rotometer Ball Only |
| 501-073 | <u>AR073</u> | Graphite Powder (Bottle) 100g |
| 501-076 | <u>AR076</u> | Tin Metal |
| 501-077 | <u>AR077</u> | Iron Chip |
| 501-078 | <u>AR078</u> | Iron Powder |
| 501-079 | <u>AR079</u> | Alphanal Wetting Agent, 118 mL |
| 501-081 | <u>AR081</u> | Glass Wool |
| 501-082 | <u>AR022</u> | Brush |
| 501-083 | <u>AR304</u> | Ductile Iron Standard, 4.23% C |
| 501-089 | <u>AR507</u> | Valve Assembly for 516-000 |
| 501-095 | <u>AR2814</u> | Residual Oil, 1.0% S |
| 501-099 | <u>AR2837</u> | Lube Oil, 4% S |
| 501-101 | <u>AR800</u> | Arrowroot Starch Solution |
| 501-105 | <u>AR301</u> | Cast Iron Standard, 2.12% C |
| 501-110 | <u>AR110</u> | 3/8" I.D. Silicone Tubing |
| 501-110-019 | <u>AR11019</u> | Silicone Rubber Tube, 3/8" x 19" |
| 501-112 | <u>AR112</u> | 1/4" I.D. Neoprene Tubing |
| 501-123 | <u>AR307</u> | Tungsten Carbide Standard, 100g |
| 501-130 | <u>AR1710</u> | Coal Standard, 4.0% Sulfur |
| 501-141 | <u>AR2779</u> | Ultimate Coal Standard, 50g |
| 501-144 | <u>AR144</u> | Magnesium Oxide |
| 501-147 | <u>AR148</u> | Copper Pin Standard, 500 ppm |
| 501-148 | <u>AR149</u> | Copper Pin Standard, 3000 ppm |
| 501-165 | <u>AR1165</u> | Drierite Indicating 10-20M, 454g |
| 501-166 | <u>AR166</u> | Ascarite II 8-20 Mesh |
| 501-170 | <u>AR170</u> | Rare Earth Copper Oxide |
| 501-171 | <u>AR171</u> | Anhydron, 8-20 Mesh |
| 501-179 | <u>AR079P</u> | Alphanal, 16 oz |
| 501-184 | <u>AR1711</u> | Coal Standard, 5.0% Sulfur |
| 501-197 | <u>AR197</u> | Trap Material 12g |
| 501-233 | <u>AR233</u> | Ceramic Adhesive Alumina, 2oz |
| 501-234 | <u>AR234</u> | Oxygen Specimen File |
| 501-241 | <u>AR241</u> | Silicone Grease 5.3oz |
| 501-263 | <u>AR263</u> | Copper Metal Accelerator, 3lb (1.36 kg) |
| 501-264 | <u>AR264</u> | Copper Metal Accelerator, 0.5lb (227 g) |
| 501-265 | <u>AR1265</u> | Crucible Holder Tray |
| 501-272 | <u>AR2017</u> | Corn Gluten SRM |
| 501-280 | <u>AR634</u> | "O" Ring |
| 501-291 | <u>AR291</u> | Oxygen Regulator Assembly |
| 501-369 | <u>AR1727</u> | Prox Coal Standard 2.5% S |
| 501-426 | <u>AR426</u> | Combustion Control, Solid Samples |
| 501-427 | <u>AR427</u> | Combustion Control, Liquid Samples |

| | | |
|---------|---------------|---------------------------------------|
| 501-428 | <u>AR1721</u> | Prox Coal Standard 0.4% S |
| 501-429 | <u>AR1723</u> | Prox Coal Standard 1.0% S |
| 501-430 | <u>AR1724</u> | Prox Coal Standard, 1.5% S |
| 501-431 | <u>AR1726</u> | Prox Coal Standard, 2.0% S |
| 501-432 | <u>AR1728</u> | Prox Coal Standard, 3.0% S |
| 501-433 | <u>AR1730</u> | Prox Coal Standard 4.0% S |
| 501-438 | <u>AR734</u> | Prox Coal Standard 0.9% S |
| 501-439 | <u>AR000</u> | Parafin Oil, 118 mL/Btl C, H, N BTU |
| 501-441 | <u>AR2021</u> | Sucrose 50g |
| 501-457 | <u>AR400</u> | Tin Coated Copper, 1.5kg |
| 501-458 | <u>AR2822</u> | #2 Diesel Oil |
| 501-501 | <u>AR870</u> | Ring Standard, 1 lb Jar .031% C |
| 501-502 | <u>AR871</u> | Ring Standard, 1 lb Jar .053% C |
| 501-503 | <u>AR872</u> | Ring Standard, 1 lb Jar .185% C |
| 501-504 | <u>AR873</u> | Ring Standard, 1 lb Jar .468% C |
| 501-505 | <u>AR874</u> | Ring Standard, 1 lb Jar .723% C |
| 501-506 | <u>AR875</u> | Ring Standard, 1 lb Jar .817% C |
| 501-529 | <u>AR556</u> | 1g Steel Ball, 5.7ppm H2 |
| 501-539 | <u>AR930</u> | Activated Charcoal, 454g |
| 501-551 | <u>AR660</u> | N/O Standard, 0.5g, Steel, 100/bottle |
| 501-552 | <u>AR656</u> | N/O Standard, 0.5g, Steel, 100/bottle |
| 501-553 | <u>AR669</u> | N/O Standard, 0.5g, Steel, 100/bottle |
| 501-561 | <u>AR2016</u> | Soy Bean Meal SRM |
| 501-563 | <u>AR2025</u> | Corn Meal SRM |
| 501-571 | <u>AR571</u> | Copper Capsules, 100/bottle |
| 501-587 | <u>AR912</u> | Platinized Silica |
| 501-592 | <u>AR062</u> | Manganese Dioxide, 250CC |
| 501-598 | <u>AR598</u> | Nibbled Nickel Flux, 100g Bottle |
| 501-608 | <u>AR1608</u> | Quartz Wool Wadding, 200g |
| 501-609 | <u>AR615</u> | Furnace Regent, 100g |
| 501-614 | <u>AR1614</u> | Spatula |
| 501-621 | <u>AR621</u> | Copper Turnings |
| 501-632 | <u>AR632</u> | Mole Sieve Trap 14g |
| 501-636 | <u>AR636</u> | Vanadium Pentoxide |
| 501-640 | <u>AR366</u> | Copper Metal Accelerator, 25 lb |
| 501-641 | <u>AR643</u> | Copper Metal Scrubber Material, 454g |
| 501-644 | <u>AR644</u> | Oxygen Standards, 1g Steel |
| 501-645 | <u>AR1651</u> | N/O Standard, 1g Pins |
| 501-647 | <u>AR1655</u> | N/O Standard, 1.0g, Steel, 100/bottle |
| 501-648 | <u>AR2776</u> | Ultimate Coal Standard, 50g |
| 501-673 | <u>AR673</u> | Iron Calibration Standard, 454g |
| 501-674 | <u>AR881</u> | Pin Standard, .017% C, .003% S |
| 501-675 | <u>AR882</u> | Pin Standard, .064% C, .021% S |
| 501-676 | <u>AR890</u> | Pin Standard, .099% C, .018% S |

| | | |
|---------|----------------|---|
| 501-677 | <u>AR895</u> | Pin Standard, .247% C, 0.21% S |
| 501-678 | <u>AR884</u> | Pin Standard, .441% C, .011% S |
| 501-679 | <u>AR885</u> | Pin Standard, .805% C, .022% S |
| 501-697 | <u>AR612</u> | Platinized Charcoal, 50g |
| 501-951 | <u>AR1951</u> | Nickel Calibration Wire |
| 501-955 | <u>AR1722</u> | Prox Coal Standard .7% S |
| 501-957 | <u>AR1729</u> | Prox Coal Standard 3.5% S |
| 501-959 | <u>AR742</u> | Prox Coal Standard 2.0% S |
| 501-961 | <u>AR304</u> | Ductile Iron Standard, 4.15% C |
| 501-964 | <u>AR1712</u> | Coal Standard 6.0% Sulfur |
| 501-967 | <u>AR2851</u> | Extreme Pressure Oil |
| 501-968 | <u>AR2852</u> | Extreme Pressure Oil |
| 501-969 | <u>AR2853</u> | Extreme Pressure Oil |
| 502-005 | <u>AR1205</u> | Pipette Brush |
| 502-007 | <u>AR2189</u> | Tube Cleaner, 8mm x 4ft, FP428 |
| 502-008 | <u>AR570</u> | Tin Plugs, 150/bottle |
| 502-016 | <u>AR655</u> | N/O Standard, 0.5g, Steel, 100/bottle |
| 502-020 | <u>AR599</u> | Etchable Nickel Flux 100g |
| 502-021 | <u>AR548</u> | Hydrogen Standard, .5ppm H2/100 |
| 502-023 | <u>AR473</u> | Reagent Tube Funnel |
| 502-024 | <u>AR651</u> | 0.1g Pins, 10g Bottle, 29ppm Hydrogen Titanium Standard |
| 502-026 | <u>AR2818</u> | Residual Oil |
| 502-029 | | Contact Alpha for Entire Range |
| 502-030 | | Contact Alpha for Entire Range |
| 502-032 | <u>AR078</u> | Accelerator, 454g Fe Powder |
| 502-040 | <u>AR2166</u> | Tin Capsule, 5mm OD, 100/bottle |
| 502-042 | <u>AR025</u> | Quartz Crucible, CHN |
| 502-049 | <u>AR049</u> | Reagent "N" Catalyst |
| 502-060 | <u>AR556</u> | 1.0g Steel Pin Standard, 5.7ppm Hydrogen |
| 502-061 | <u>AR555</u> | 1.0g Steel pin Standard, 2.5ppm Hydrogen |
| 502-062 | <u>AR4020</u> | Soil Standard, 1% C 100g |
| 502-071 | <u>AR2864</u> | High Sulfur Residual Oil, 118mL 30% S |
| 502-072 | <u>AR655</u> | 1/2g Steel Pin, N=3896 ppm O=2 |
| 502-076 | <u>AR571</u> | Copper Capsules, 100/bottle |
| 502-077 | <u>AR570</u> | Tin Plugs, 150/bottle |
| 502-085 | <u>AR3085</u> | Zn Sulfide, 32%, 50g |
| 502-091 | <u>AR091</u> | Calcium Oxalate Standard, 50g |
| 502-092 | <u>AR2092</u> | EDTA Standard, 50g |
| 502-122 | <u>AR2122</u> | Firing Fuse Wire, 2" Package of 10 |
| 502-134 | <u>AR2134</u> | Benzoic Acid Tablet 1.45g, Package of 10 |
| 502-134 | <u>AR2134V</u> | Benzoic Acid Tablet 1.45g, package of 50 |
| 502-154 | <u>AR648</u> | Ti Pin Standard, 130ppm Hydrogem, 100/bottle 1/4g Pins |
| 502-156 | <u>AR2156</u> | Fluorhibit, 454g |
| 502-167 | <u>AR2167</u> | Tin Capsules, 8mm, 100/bottle, FP428 |

| | | |
|-------------|-------------------|---|
| 502-173 | <u>AR173</u> | Alphacell II - HP, 750g |
| 502-174 | <u>AR2174</u> | Alphasolve II, CO2 Absorb 20-30, 500g |
| 502-176 | <u>AR2176</u> | Alphasolve II, CO2 Absorb 8-20, 500g |
| 502-177 | <u>AR177</u> | Fine Quartz Wool, 50g |
| 502-181 | <u>AR2181</u> | Tungstic Oxide, Granular, 60g |
| 502-183 | <u>AR2183</u> | Nickel Capsule, 6.6 x 10.0mm, 100/bottle |
| 502-184 | <u>AR502</u> | Benzoic Acid Powder, 99%, 10g |
| 502-186 | <u>AR2186</u> | Tin Foil Cups, 100/bottle, FP428 |
| 502-187 | <u>AR2187</u> | Tin Capsule, 3.5mm x 9mm, 100/bottle |
| 502-188 | <u>AR2188</u> | Alumina Oxide Pellets, FP428, 200g |
| 502-189 | <u>AR189</u> | Copper Sticks, 100g, FP228/428 |
| 502-190 | <u>AEB1002</u> | Copper Oxide, Fine Wires, 100g |
| 502-203 | <u>AEB2031</u> | Stearic Acid Standard, 1g |
| 502-204 | <u>AEB2034</u> | Dinitrobenzoic Acid Standard, 1g |
| 502-205 | <u>AEB2030</u> | Caffeine Standard, 1g |
| 502-206 | <u>ASD2003</u> | Silver Capsules, 3.5 x 5 mm, 100 pieces |
| 502-207 | <u>AEB2035</u> | Cystine Standard, 1g |
| 502-208 | <u>AEB2036</u> | Sulphanilamide Standard, 1g |
| 502-209 | <u>AR2209</u> | Sulphamethazine Standard, 5 g |
| 502-211 | <u>AR211</u> | Glycine 99%, 50g |
| 502-213 | <u>AR2213</u> | Leak Detection Solution, 4oz |
| 502-225 | <u>AEB1036</u> | Silver Tungstate/MGO, 100g |
| 502-226 | <u>AEB1009</u> | Silver Vanadate, 10g |
| 502-227 | <u>ATD1000</u> | Tin Capsules, 3.2mm x 4mm, 500g |
| 502-231 | <u>AR673</u> | Hi Purity Iron Standard, Low C & S |
| 502-258 | <u>AR621</u> | Copper Turnings, Degassed, 200g |
| 502-266 | <u>AR205</u> | Firing Fuse Wire, 300 Determinations X 0.006" Dia |
| 502-272 | <u>AR2017</u> | Corn Gluten, C,H,N,S 30g |
| 502-273 | <u>AR2018</u> | Alfalfa, C,H,N,S 30g |
| 502-274 | <u>AR2019</u> | Wheat Flour, C,H,N,S 30g |
| 502-275 | <u>AR2020</u> | Rye Flour, C,H,N,S 30g |
| 502-276 | <u>AR2026</u> | Oat Meal, C,H,N,S 30g |
| 502-277 | <u>AR2027</u> | Barley, C,H,N,S 30g |
| 502-278 | <u>AR2028</u> | Rice Flour, C,H,N,S 30g |
| 502-282 | <u>AR189</u> | Copper Sticks, 100g Ampule |
| 502-294 | AR008F | Alphacell II, Complimentary Sample |
| 502-295 | <u>AR621</u> | Copper Turnings, Degassed, 200g |
| 502-297 | <u>AR008B</u> | Alphacel II, HP, 13.6kg |
| 502-298 | <u>AR298</u> | Sulfamethazine, 25g |
| 502-301 | <u>AR2301</u> | Tungsten Oxide, 125g |
| 502-304 | <u>AR2304</u> | Copper Sticks, 100g Packed in Argon Ampoule |
| 502-304-500 | <u>AR2304-500</u> | Copper Sticks, Resealable Bottle, 500 grams |
| 502-308 | <u>AR4016</u> | Soil Standard, 2% C & S, 25g |
| 502-310 | <u>AR2310</u> | Steel Wool Filter Material, 454g |

| | | |
|-------------|------------------|---|
| 502-311 | <u>AR2311</u> | Furnace Reagent 1000, 1000g |
| 502-314 | <u>AR177</u> | Quartz Wool, 28.4g |
| 502-318 | <u>AR4017</u> | Soil Standard, 25g, C=0.5%, S=0.5% |
| 502-319 | <u>AR4005</u> | Ore Standard, 30g, C=1.42%, S=1.41% |
| 502-320 | <u>AR4006</u> | Ore Standard, 30g, C=4.40%, S=4.24% |
| 502-321 | <u>AR321</u> | Alphacat Accelerator, 250g |
| 502-335 | <u>AR2335</u> | Foil Crucible Liner, TGA 250/package |
| 502-338 | <u>AR338</u> | Alphagel Capsules, 400/bottle, for FP428 |
| 502-343 | <u>AR2343</u> | Nickel Boat Liner, 100/package |
| 502-344 | <u>AR2344</u> | Nickel Baskets, Low Oxygen, 1g 100/bottle |
| 502-345 | <u>AR2345</u> | Nickel Baskets, Low Oxygen, 1.5g 100/bottle |
| 502-351 | <u>AR351</u> | Halogen Scrubber, 50g |
| 502-359 | <u>AR2359</u> | Furnace Reagent, MGO, 200g |
| 502-372 | <u>AR4007</u> | Ore Standard, 30g, C=7.62%, S=3.25% |
| 502-374 | <u>AR2374</u> | Heater Particulate Filter, package of 50 |
| 502-382 | <u>AR339</u> | Medium Alphagel Caps, 400/bottle |
| 502-397 | <u>AR2397</u> | Large Tin Foil Cups, 100/bottle |
| 502-489 | <u>AR2489</u> | Porous Crucible, CHN 10/package |
| 502-493 | <u>AR2156</u> | Fluorhibit, 454g |
| 502-397-400 | <u>AR2397400</u> | Large Tin Foil Cups, 400/bottle |
| 502-435 | <u>AR1704</u> | Coal Standard, 1% Sulfur |
| 503-007 | <u>AR007</u> | Detachable Float Valve |
| 503-020 | <u>AR3020</u> | Boron Distillation Apparatus |
| 503-031 | <u>AR905</u> | Funnel (3 Leg) |
| 503-032 | <u>AR901</u> | Scoop |
| 503-033 | <u>AR033</u> | Sulfur Trap, Filled |
| 503-051 | <u>AR051</u> | Oxygen Baffle for 1 1/8" ID Tube |
| 503-052 | <u>AR052</u> | Oxygen Baffle for 1 1/4" ID Tube |
| 507-010 | <u>AR911H</u> | Catalyst Tube (Hopcolite) |
| 507-011 | <u>AR911E</u> | Catalyst Tube (Unfilled) |
| 507-012 | <u>AR012</u> | Reducer |
| 507-100 | <u>AR7100</u> | Catalyst Furnace, Rebuilt |
| 507-200 | <u>AR7200</u> | Catalyst Furnace, Rebuilt |
| 507-207 | <u>AR911</u> | Catalyst Tube, Filled, Platinized Silica |
| 507-207 | <u>AR911R</u> | Catalyst Tube, Filled, Rare Earth |
| 508-300 | <u>AR8300</u> | Catalyst Heater, Rebuilt |
| 508-400 | <u>AR8400</u> | Catalyst Heater, Rebuilt |
| 508-500 | <u>AR8500</u> | Catalyst Heater, Rebuilt |
| 508-600 | <u>AR8600</u> | Catalyst Heater, Rebuilt |
| 511-036 | <u>AR182</u> | 4mm ID Evacuated Pin Tube |
| 511-038 | <u>AR1038</u> | Pin Tube Holder |
| 511-039 | <u>AR181</u> | 3mm ID Evacuated Pin Tube |
| 511-390 | <u>AR183</u> | 6mm ID Evacuated Pin Tube 10/package |
| 516-000 | <u>AR906</u> | Purifying Train |

| | | |
|-------------|------------------|---|
| 516-004 | <u>AR504</u> | Rotometer |
| 516-005 | <u>AR505</u> | Drying Tower |
| 516-006 | <u>AR506</u> | Acid Tower |
| 516-063 | <u>AR507</u> | Needle Valve Complete |
| 517-204 | <u>AR204</u> | Rubber Squeeze Bulb |
| 518-016 | <u>AR016</u> | Burette |
| 518-024 | <u>AR024</u> | Light Director |
| 518-030 | <u>AR017</u> | Vessel |
| 518-045 | <u>AR045</u> | Reworked Photocell |
| 519-044 | <u>AR004</u> | Hydrocarbon Sulfur Tube |
| 519-005 | <u>AR900</u> | Ignitor |
| 519-009 | <u>AR009</u> | Pedestal |
| 521-112 | <u>AR114</u> | Silicone Tubing, 4" x 3/8" ID |
| 521-113 | <u>AR113</u> | Silicone Ring Seal |
| 521-186 | <u>AR187</u> | Solid State Rectifier |
| 521-287 | <u>AR287</u> | Suppressor Coil |
| 521-305 | <u>AR932</u> | Drying Tube |
| 528-018 | <u>AR3818</u> | Ceramic Crucible |
| 528-028 | <u>AR8028</u> | Filtering Crucibles, Small |
| 528-030 | <u>AR8030</u> | Filtering Crucibles, Large |
| 528-040 | <u>AR040</u> | Cover, 4mm Hole |
| 528-042 | <u>AR042</u> | Porous Covers |
| 528-043 | <u>AR9880</u> | Cover, 10mm Hole |
| 528-050 | <u>AR3818B</u> | Ceramic Crucibles, 50/bag, 500/box |
| 528-053 | <u>AR8053</u> | Combustion Boat, 4" x 1/2" |
| 528-120 | <u>AR8120</u> | Low Sulfur Crucible |
| 528-203 | <u>AR8203</u> | Combustion Boat For SC132-32-CR-12, 500/box |
| 528-203-250 | <u>AR8203250</u> | Combustion Boat for SC132/32/CR-12, 250/box |
| 528-230 | <u>AR5282</u> | Combustion Boat, Glazed for Liquids, 50/package |
| 528-313 | <u>AR8313</u> | Combustion Tube 1 1/8" x 30" OBE |
| 528-314 | <u>AR8314</u> | Combustion Tube 1 1/4" x 30" OBE |
| 528-331 | <u>AR8331</u> | Combustion Tube 1 1/8" x 27" TE |
| 528-332 | <u>AR8332</u> | Combustion Tube 1 1/8 x 30" TE |
| 528-333 | <u>AR8333</u> | Combustion Tube 1 1/4" x 30" TE |
| 529-007 | <u>AR529</u> | Ceramic Pedestal, 3.05" |
| 529-011 | <u>AR9011</u> | Ceramic Liner SC32/132/CR-12 |
| 529-012 | <u>AR9012</u> | Boat Stop Kit (2 x AR9012) |
| 529-018 | <u>AR3203</u> | Ceramic Nozzle 320-00203 Lecomelt |
| 529-022 | <u>AR9022</u> | Boat Stop Half, Honeycomb Fine |
| 529-026 | <u>AR026</u> | Crucible CHN-600, 50/package |
| 529-028 | <u>AR9023</u> | Boat Stop Half SC132/32 |
| 529-031 | <u>AR9031</u> | Cone Support D |
| 529-042 | <u>AR9042</u> | Ceramic Crucible, MAC-400/TGA, Small (5) |
| 529-043 | <u>AR9043</u> | Ceramic Cover, MAC-400/TGA, Small (5) |

| | | |
|-------------|------------------|--|
| 529-044 | <u>AR9044</u> | Cone Support I |
| 529-046 | <u>AR9046</u> | Ceramic Tube TF-10, 11/4" x 23" L |
| 529-047 | <u>AR9047</u> | Ceramic Crucible, MAC-400 Large (5) |
| 529-048 | <u>AR9048</u> | Ceramic Cover, MAC-400 Large (5) |
| 529-054 | <u>AR9023</u> | Boat Stop Half SC32/132 |
| 529-055 | <u>AR026</u> | Crucible CHN, 50/bag |
| 529-203 | <u>AR8203P</u> | Combustion Boat SC32/132/CR12 |
| 529-204 | <u>AR9204P</u> | Combustion Boat, S-144DR, 50/bag |
| 529-204-250 | <u>AR9204250</u> | Combustion Boat, 250/box |
| 532-060 | <u>AR045</u> | Rebuilt Photocell Assembly |
| 532-065 | <u>AR065</u> | Burette for 532-500 |
| 532-066 | <u>AR066</u> | Vessel for 532-500 |
| 532-500 | <u>AR532</u> | Automatic Sulfur Titrator |
| 533-104 | <u>AR801</u> | Starch Dispensing Pipette |
| 537-103 | <u>AR103</u> | 1/4" OD Polyflow Tubing |
| 540-140 | <u>AR140</u> | Bulb |
| 544-147 | <u>AR4147</u> | Leveling Bottle |
| 549-007 | <u>AR907</u> | Armature |
| 549-072 | <u>AR9072</u> | Restrictor |
| 549-076 | <u>AR176</u> | Bulb, Light Source for 518, 532 |
| 550-004 | <u>AR404</u> | Oscillator Tube, EIMAC |
| 550-007 | <u>AR5007</u> | 45 Sec Time Delay Tube |
| 550-044 | <u>AR044</u> | Insulator, Porcelain 521/523 |
| 550-046 | <u>AR046</u> | Resistor, 521/523 |
| 550-047 | <u>AR0047</u> | RF Choke for 521/523 |
| 550-048 | <u>AR048</u> | RF Choke |
| 550-053 | <u>AR0053</u> | Power Switch for 521/523 |
| 550-119 | <u>AR019</u> | Right Angle Bend |
| 550-120 | <u>AR120</u> | Sulfur Combustion Tube |
| 550-122 | <u>AR122</u> | Carbon Combustion Tube |
| 550-123 | <u>AR123</u> | Pedestal Insert |
| 550-124 | <u>AR124</u> | Pedestal, 2.50" |
| 550-165 | <u>AR165</u> | Spring Clip for Combustion Tube |
| 550-167 | <u>AR550</u> | Furnace Fan for Models 521/523, 115VAC |
| 550-182 | <u>AR180</u> | QEGC Crucible |
| 550-183 | <u>AR179</u> | Quartz Crucible Insert for AR180 |
| 550-184 | <u>AR184</u> | Copper Rings |
| 550-187 | <u>AR186</u> | Capacitor |
| 563-035 | <u>AR035</u> | Header Stopcock, 572, 577 |
| 563-037 | <u>AR037</u> | Rebuilt Buret for 577 |
| 566-008 | <u>AR006</u> | Induction Coil |
| 568-016 | <u>AR428</u> | "O" Ring |
| 572-016 | <u>AR72016</u> | Control Valve for 572 |
| 572-029 | <u>AR029</u> | Float Valve Assembly |

| | | |
|---------|----------------|---|
| 572-031 | <u>AR2031</u> | Splashproof Device |
| 578-672 | <u>AR672</u> | "O" Ring |
| 585-235 | <u>AR200</u> | AL203 Wheel, 7" x 3/4" H x 1/16" |
| 585-270 | <u>AR270</u> | AL203 Cut-off Wheel 7 x 1" x 1/16" |
| 585-359 | <u>AR5359</u> | Pin Cutter Spacer, for 1/2g Pin |
| 585-360 | <u>AR5360</u> | Pin Cutter Spacer, for 1g Pin |
| 585-500 | <u>AR2000X</u> | Pin Cutter, 1 H.P., 230VAC, 50 Hz |
| 585-600 | <u>AR2000</u> | Pin Cutter, 1 H.P., 115VAC, 60 Hz |
| 589-305 | <u>AR9305</u> | 1/4" Rubber Sleeve |
| 589-364 | <u>AR9364</u> | Oven Fan, WR12, TC30, Dayton |
| 589-551 | <u>AR422</u> | "O" Ring (Auto Drop) |
| 589-699 | <u>AR699</u> | Lance Sleeve, CS44, IR12/32, AR521 |
| 589-859 | <u>AR859</u> | Thermistors, WR-12, 750 |
| 589-887 | <u>AR887</u> | "O" Ring |
| 589-891 | <u>AR9891</u> | Timer Relay 750/589 |
| 593-100 | <u>AR593</u> | Timer, Sulfur Titrator |
| 598-142 | <u>AR859</u> | Thermistors, WR-12, 750 |
| 598-157 | <u>AR157</u> | Moisture Trap, Filled, 750, 598 |
| 598-158 | <u>AR158</u> | Moisture Trap, Unfilled, 750, 598 |
| 598-257 | <u>AR257</u> | Replaced by 614-591 |
| 598-614 | <u>AR613</u> | Bulbs - Switches 6.3V (750-100) |
| 601-064 | <u>AR064</u> | Quartz Heater Tube, CF-10 |
| 601-065 | <u>AR1065</u> | Pyrex Reagent Tube, CF-10 |
| 601-158 | <u>AR1158</u> | "O" Ring CHN 800 |
| 601-159 | <u>AR1159</u> | "O" Ring CHN 800 |
| 601-132 | <u>AR132</u> | Combustion Tube CHN 800 |
| 601-133 | <u>AR1133</u> | "O" Ring (1.0 x 1.25) CHN |
| 601-201 | <u>AR1201</u> | Reaction Tube DH103 |
| 601-390 | <u>AR390</u> | Quick Disc Tube FP428 |
| 601-397 | <u>AR397</u> | Shim, Combustion Tube FP428, 8/package |
| 601-437 | <u>AR437</u> | Quartz Catalyst Tube, FP428 |
| 601-438 | <u>AR438</u> | Combustion Tube for NP228/428, SN 1 thru 3445 |
| 601-441 | <u>AR441</u> | Quartz Lance Tube, FP428 |
| 601-442 | <u>AR442</u> | "O" Ring, FP428, RC612 |
| 601-482 | <u>AR482</u> | Honeycomb Support, FP428 |
| 601-483 | <u>AR483</u> | Printer Paper, 9 1/2 x 11, 600 Sheets |
| 601-484 | <u>AR484</u> | Printer Ribbon Cartridge |
| 601-490 | <u>AR1490</u> | Pelletizing Foiler Device |
| 601-504 | <u>AR1504</u> | "O" Ring, Loading Block, FP228 |
| 601-505 | <u>AR1505</u> | "O" Ring, Combustion Tube, FP228, RC612 |
| 601-506 | <u>AR1506</u> | Combustion Tube, FP228 |
| 601-654 | <u>AR1654</u> | Thermocouple for CHN 2000 |
| 601-684 | <u>AR684</u> | "O" Ring, Loading Head Assembly TC600 |
| 601-691 | <u>AR1691</u> | .125 Cflex Tubing, 12" |

| | | |
|-------------|-----------------|---|
| 601-691-030 | <u>AR169130</u> | Cflex Tube, 30" |
| 601-691-036 | <u>AR169136</u> | Cflex Tube, 36" |
| 601-862-110 | <u>AR1862</u> | Furnace, FP-428, 550-650 Watts |
| 601-920 | <u>AR920</u> | "O" Ring |
| 601-939 | <u>AR1939</u> | "O" Ring, Doser, FP428 |
| 601-963 | <u>AR1963</u> | Tin Capsules, 3.5mm x 4mm, CHN932 |
| 601-981 | <u>AR981</u> | Side Arm Cleaning Brush, FP428 |
| 602-615 | <u>AR2615</u> | Furnace Housing w/o End Caps FP2000 |
| 602-802 | <u>AR802</u> | "O" Ring, RH 402, RC612 |
| 602-803 | <u>AR803</u> | "O" Ring, RH402 |
| 602-969 | <u>AR969</u> | 5000 Determinatons Package for FP428 |
| 603-047 | <u>AR63047</u> | Ureth Tubing, .061 x .12 OD, Red, Per Foot |
| 603-048 | <u>AR63048</u> | Ureth Tubing, .061 x .12 OD, Blue, Per Foot |
| 603-049 | <u>AR63049</u> | Ureth Tubing, .061 x .12 OD, Green, Per Foot |
| 603-050 | <u>AR63050</u> | Ureth Tubing, .061 x .12 OD, Black, Per Foot |
| 603-051 | <u>AR63051</u> | Ureth Tubing, .061 x .12 OD, White, Per Foot |
| 603-052 | <u>AR63052</u> | Ureth Tubing, .061 x .12 OD, Orange, Per Foot |
| 603-350 | <u>AR350</u> | "O" Ring Extraction tool |
| 603-493 | <u>AR3493</u> | "O" Ring |
| 603-706 | <u>AR706</u> | Pedestal for RH402 |
| 603-707 | <u>AR707</u> | Reaction Tube RH402 |
| 603-710 | <u>AR710</u> | Quartz Crucibles, RH402 24 pieces |
| 603-910 | <u>AR3910</u> | "O" Ring |
| 603-970 | <u>AR3970</u> | "O" Ring RF402, Upper Load Mech |
| 603-971 | <u>AR3971</u> | "O" Ring RH402, Upper Load Mech |
| 604-112 | <u>AR604</u> | Quartz Catalyst Tube |
| 604-114 | <u>AR923</u> | Pedestal Only, Quartz with Fitting |
| 604-163 | <u>AR163</u> | Brass Brush |
| 604-172 | <u>AR172</u> | "O" Ring |
| 604-241 | <u>AR4241</u> | Reaction Tube, HF402/RH402 |
| 604-271 | <u>AR271</u> | SS Fluted Brush, Dia Slotted |
| 604-373 | <u>AR4373</u> | Capsule Holder |
| 604-496 | <u>AR4496</u> | Teflon Flx Tubing,.125 x .032W, ft |
| 604-518 | <u>AR518</u> | SS Cleaning Brush, Unslotted |
| 604-541 | <u>AR4541</u> | Lance Tube CHN 900/932 |
| 605-520-087 | <u>AR6055</u> | "O" Ring Package, CS200/300/400 |
| 605-814 | <u>AR5814</u> | Pedestal Adapter Assembly |
| 605-815 | <u>AR5815</u> | Pedestal Adapter, CS144-CS444 |
| 605-816 | <u>AR816</u> | Ceramic Pedestal, CS144-444 SiN |
| 605-817 | <u>AR817</u> | Pedestal Adapter, CS125 |
| 605-818 | <u>AR818</u> | Pedestal Adapter 606/816, EC12, HF10/20 |
| 605-828 | <u>AR828</u> | "O" Ring, FP428, SN 1 thru 3445 |
| 605-830 | <u>AR830</u> | "O" Ring CHN |
| 605-875 | <u>AR5875</u> | Furnace Red/Ox Tube, CHN900 |

| | | |
|-------------|------------------|--|
| 606-202 | <u>AR202</u> | Furnace Fan for FP2000 Series |
| 606-224 | <u>AR6224</u> | Thermocouple, SC432 Series |
| 606-286 | <u>AR563</u> | Short Strap, SC432 |
| 606-308 | <u>AR6308</u> | Stepped Ceramic Boat Stop, SC432 |
| 606-309 | <u>AR6309</u> | Outer Combustion Tube SC432 |
| 606-310 | <u>AR1477</u> | "O" Ring Combustion Tube, SC432 |
| 606-312 | <u>AR1476</u> | "O" Ring Combustion Tube, SC432 |
| 606-313 | <u>AR6313</u> | Inner Combustion Tube, SC432 |
| 606-317 | <u>AR6317</u> | Stainless Purge Tube |
| 606-318 | <u>AR6318</u> | Heating Elements (3), SC432 |
| 606-319 | <u>AR6319</u> | Lead Wire Braided 6.5, SC-432 |
| 606-320 | <u>AR6320</u> | Braid Clamp for SC432 Element |
| 606-327 | <u>AR6327</u> | Gas Drying Tube SC432 |
| 606-333 | <u>AR6333</u> | "O" Ring, Lance, SC432 |
| 606-340 | <u>AR6340</u> | Drilled Lance Tube, FP2000 |
| 606-403 | <u>AR403</u> | Collection Tube Brush, SC432 |
| 606-444 | <u>AR6644</u> | #2 Stepped Ceramic Boat Stop |
| 606-547 | <u>AR6547</u> | Boat Puller, SC432 Autoloader |
| 606-550 | <u>AR6550</u> | Finger Arm for AR6547 |
| 606-601 | <u>AR6601</u> | Heat Elements (4) CS432, CS144 |
| 606-601-100 | <u>AR6601100</u> | Heating Element Kit |
| 606-602 | <u>AR6602</u> | Furnace End Cap FP2000 |
| 606-655 | <u>AR6655</u> | Glass Purifier Tube, SC432 |
| 606-747 | <u>AR6747</u> | 2 Hole Lance Tube, FP2000, 245mm |
| 608-339 | <u>AR8339</u> | Combustion tube, Old Syle, CHN1000 14mm OD x 200mm |
| 608-342 | <u>AR342</u> | Combustion Tube, Quartz, CH1000 |
| 608-343 | <u>AR8343</u> | Furnace Element, CHN1000 |
| 608-344 | <u>AR344</u> | Combustion Tube, Outer, CHN1000 |
| 608-378 | <u>AR1476</u> | "O" Ring, CHN1000 |
| 608-379 | <u>AR8379</u> | Quartz Wool Strips, 15", 10/package |
| 608-505 | <u>AR8505</u> | Combustion Tube, Ceramic, CHN1000 |
| 608-866 | <u>AR866</u> | Cflex Tubing .187"/foot |
| 609-114 | <u>AR9114</u> | "O" Ring, Side Arm, SN3446 up |
| 609-116 | <u>AR9116</u> | Combustion Tube, FP428, SN3446 up |
| 609-129 | <u>AR9129</u> | Lance, Straight |
| 609-170 | <u>AR9170</u> | Quick Cap Kit |
| 609-171 | <u>AR9171</u> | Plunger for Cellulosic Tubes |
| 609-172 | <u>AR9172</u> | Tubing Cellulosic, .210ID, 20/package |
| 609-271 | <u>AR9271</u> | Radial Shaft Seal, FP2000 Autoloader |
| 609-394 | <u>AR394</u> | Heat Shield for FP/NS2000 |
| 609-474 | <u>AR9474</u> | Finger Arm for AR1207 Shaft |
| 609-728 | <u>AR9728</u> | Shaft Sleeve Bearing, FP2000 Autoloader |
| 610-735 | <u>AR735</u> | Furnace Brush, CS444, Dia Slotted |
| 611-207 | <u>AR1207</u> | Puller Shaft Assembly with Finger |

| | | |
|-------------|---------------|--|
| 611-255 | <u>AR9171</u> | Plunger Assembly |
| 611-351-189 | <u>AR691</u> | Electrode Insert |
| 611-351-223 | <u>AR1351</u> | Combustion Tube, HD |
| 611-431 | <u>AR1431</u> | "O" Ring 132 |
| 611-476 | <u>AR1476</u> | "O" Ring, Inner Combustion Tube |
| 611-477 | <u>AR1477</u> | "O" Ring, Outer Combustion Tube |
| 611-790 | <u>AR790</u> | "O" Ring |
| 612-340 | <u>AR2340</u> | "O" Ring, Thermistor Block, Truspec |
| 613-563 | <u>AR563</u> | Short Strap, SC432 |
| 614-591 | <u>AR257</u> | Cabinet Fan, 110V |
| 614-822-101 | <u>AR4101</u> | Small Boat Loop |
| 614-822-100 | <u>AR4181</u> | Nickel Boat, Small for AMA 254 Hg |
| 614-822-133 | <u>AR4113</u> | Large Boat Loop |
| 614-822-114 | <u>AR4114</u> | Nickel Boat, Large for AMA 254 Hg |
| 614-961 | <u>AR4961</u> | Large Crucible, FP528 Truspec10/package |
| 614-962 | <u>AR4962</u> | Lance, FP528 |
| 616-063 | <u>AR6063</u> | Boat Puller, Sulfur/Carbon |
| 616-068 | <u>AR6068</u> | "O" Ring, Inner Combustion Tube S/SC144 |
| 616-070 | <u>AR6070</u> | Inner Combustion Tube S/SC-144 |
| 616-086 | <u>AR6086</u> | Stepped Boat Stop, S/SC-144 |
| 616-089 | <u>AR6089</u> | Outer Combustion Tube, S/SC-144 |
| 616-108 | <u>AR6108</u> | Combustion Tube, FP528 |
| 616-138 | <u>AR6138</u> | "O" Ring, FP-528 |
| 616-139 | <u>AR6139</u> | "O" Ring, FP-528 |
| 616-146 | <u>AR6146</u> | Lance, FP528 |
| 616-504 | <u>AR6504</u> | Particle Filter, FP528 |
| 616-605 | <u>AR7605</u> | Large Crucible for Liquid Samples 10/package |
| 616-622 | <u>AR6622</u> | Micro Switch, CN 2000; Switch Only, No Leads |
| 616-632 | <u>AR6632</u> | Lance, SC-432 & FP-2000, 253mm |
| 616-635 | <u>AR394</u> | Heat Shield for FP/NS2000, Replaces 609-394 |
| 617-083 | <u>AR7083</u> | "O" Ring, in Scrubber Cat Heater |
| 617-136 | <u>AR7136</u> | "O" Ring, Loading Head, Truspec |
| 617-440 | <u>AR440</u> | "O" Ring, Filter Assembly TC600 |
| 617-441 | <u>AR7441</u> | Micro Screen Filter, TCH600 |
| 617-486 | <u>AR7486</u> | Fitting Removal Tool |
| 617-548 | <u>AR7548</u> | Filter Tube, TC500, RC612 |
| 617-716 | <u>AR7716</u> | Quartz Filter Tube, TC500 |
| 618-376 | <u>AR376</u> | Electrode Insert |
| 618-482 | <u>AR691</u> | Electrode Insert |
| 618-603 | <u>AR603</u> | Catalyst Tube, 13.0" |
| 618-657 | <u>AR6186</u> | FTG Adapter, RC612 |
| 618-809 | <u>AR8809</u> | Reagent Tube, TC600 |
| 619-065 | <u>AR9065</u> | U-Shaped Combustion Tube for Truspec |
| 619-154 | <u>AR9154</u> | Catalyst Heater Tube for Truspec |

| | | |
|-------------|-----------------|---|
| 619-192 | <u>AR9192</u> | "O" Ring, Bottom Load Head, Truspec |
| 619-233 | <u>AR9233</u> | Thermocouple for Truspec Type K |
| 619-268 | <u>AR9268</u> | High Sensitivity Reagent Tube for Truspec |
| 619-316 | <u>AR9316</u> | Large Volume Reagent Tube for Truspec |
| 619-425 | <u>AR9425</u> | Straight Reagent Tube for Truspec |
| 619-455 | <u>AR9455</u> | Large Reagent Tube |
| 619-566 | <u>AR9566</u> | Braided Strap |
| 619-774 | <u>AR9774</u> | Lance, Truspec, CHNS Micro |
| 619-776 | <u>AR9776</u> | Reagent Tube 233mm |
| 619-777 | <u>AR9777</u> | Directive Middle Tube CHNS |
| 619-803 | <u>AR3302</u> | Upper Electrode Brush, 21mm diameter |
| 619-880 | <u>AR9880</u> | 10mm Hole Cover, 100/box |
| 619-880-100 | AR09800100 | 10mm Hole Cover, 100/package |
| 619-895 | <u>AR619</u> | Graphite Crucible, RHN600, 100/package |
| 619-895-100 | <u>AR619100</u> | Graphite Crucible, RHN600, 100/package |
| 620-814 | <u>AR691</u> | Electrode Insert |
| 621-331 | <u>AR9047</u> | TGA Crucible, 5/package |
| 625-068 | <u>AR25068</u> | Element Clips |
| 625-501 | <u>AR6255</u> | Thermocouple, RC612 |
| 625-067 | <u>AR5067</u> | Elements, 6/package |
| 625-505-125 | <u>AR5125</u> | Catalyst Heater Tube RC612 |
| 625-505-138 | <u>AR5138</u> | Heating Element Assembly RC612 |
| 625-505-271 | <u>AR5271</u> | Knurled Adapter, RC612 |
| 625-505-168 | <u>AR5168</u> | Combustion Tube, RC612 |
| 625-510-402 | <u>AR5104</u> | Combustion Tube, RC612 |
| 625-511-154 | <u>AR511154</u> | Lower Crucible, CHN 5/package |
| 660-010-130 | <u>AR9233</u> | Thermocouple for Truspec Type K |
| 701-030 | <u>APT1030</u> | Torch Assembly, ICP-2000 LECO |
| 702-557 | <u>AR2557</u> | "O" Ring, Truspec |
| 750-301 | <u>AR933</u> | Drying Tube, 9.0" |
| 751-300 | <u>AR1300</u> | Electronic Balance, 4th Place |
| 760-034 | <u>AR034</u> | Graphite Crucibles |
| 760-072 | <u>AR072</u> | 28 DVC Bulbs |
| 760-138 | <u>AR138</u> | Tweezers, Straight |
| 760-139 | <u>AR766</u> | Tweezers, Curved Deluxe |
| 760-144 | <u>AR022B</u> | Brush, 90" Bend |
| 760-145 | <u>AR0145</u> | Powder Funnel for Graphite Crucibles |
| 760-193 | <u>AR193</u> | Metal Screen |
| 760-224 | <u>AR224</u> | "O" Ring |
| 760-225 | <u>AR425</u> | "O" Ring (Loading Head Plunger) |
| 760-226 | <u>AR428</u> | "O" Ring |
| 760-293 | <u>AR293</u> | Brush, Cleaning, Small |
| 760-304 | <u>AR0304</u> | Teflon Washer |
| 760-316 | <u>AR316</u> | Washer |

| | | |
|-------------|---------------|-------------------------------------|
| 760-317 | <u>AR317</u> | Glass Tube, 6.64" |
| 760-333 | <u>AR333</u> | Drying Tube, 8" |
| 760-335 | <u>AR424</u> | "O" Ring |
| 760-359 | <u>AR359</u> | "O" Ring (Quick Disconnect) |
| 760-414 | <u>AR414</u> | Graphite Crucibles |
| 760-841 | <u>AR194</u> | "O" Ring |
| 761-047 | <u>AR047</u> | 3" Drying Tube |
| 761-133 | <u>AR133</u> | Drying Tube, 17.125" |
| 761-190 | <u>AR190</u> | Drying Tube, 11.75" |
| 761-375 | AR3931 | Electrode Repair Service |
| 761-376 | AR3931 | Electrode Repair Service |
| 761-383 | <u>AR293H</u> | Small Brush Handle Only |
| 761-492 | <u>AR492</u> | "O" Ring FP428 |
| 761-618 | <u>AR618</u> | Trap Repair Charge/WR-12 |
| 761-651 | <u>AR1609</u> | "O" Ring, Lance, FP/CHN |
| 761-739 | <u>AR639</u> | Tin Pellets |
| 761-747 | <u>AR611</u> | Schutze's Reagent, 100g |
| 761-918 | <u>AR918</u> | "O" Ring |
| 761-929 | <u>AR929</u> | Crucible Tongs for AR3818 |
| 762-023 | <u>AR023</u> | Nut Adaptor Seal for CS44/IR12 |
| 762-056 | <u>AR056</u> | Combustion Tube |
| 762-057 | <u>AR416</u> | "O" Ring (Dust Filter) |
| 762-058 | <u>AR058</u> | "O" Ring |
| 762-059 | <u>AR614</u> | "O" Ring (Cup Assembly) |
| 762-060 | <u>AR417</u> | "O" Ring Backup |
| 762-062 | <u>AR913</u> | Oxygen Lance |
| 762-066 | <u>AR7620</u> | H V Rectifier, 8 kV 1 AMP |
| 762-192 | <u>AR192</u> | IR So2 Cell, CS44/IR32/33 |
| 762-357 | <u>AR357</u> | "O" Ring (Upper Adapter) |
| 762-501 | <u>AR2501</u> | Handle for Rebuilt 521 |
| 762-523 | <u>AR523</u> | Oven Fan Replaces Howard Fan |
| 762-621 | <u>AR2621</u> | IR Co2 Cell, CS44/IR12 |
| 762-627 | <u>AR2627</u> | Biscuit Fan, CS44 |
| 762-695 | <u>AR695</u> | Tin Metal |
| 762-697 | <u>AR697</u> | Large Throat Brush |
| 762-741 | <u>AR650</u> | Hydrogen Standard 1/4g x 25g |
| 762-747 | <u>AR546</u> | Hydrogen Standard, 1.1ppm H2/100 |
| 762-823 | <u>AR697H</u> | Brush with Handle |
| 762-936 | <u>AR936</u> | Glass Scoop for V205, Extra Large |
| 763-026 | <u>AR027B</u> | Alphacel III Tungsten 30# - 20 + 40 |
| 763-027 | <u>AR266B</u> | Alphacel Tungsten 30# - 12 + 20 |
| 763-028-500 | <u>AR027V</u> | Alphacel III, Tungsten, 227.27kg |
| 763-029 | <u>AR509</u> | Nickel Baskets, 1.5g |
| 763-065 | <u>AR508</u> | Nickel Baskets, 1.0g |

| | | |
|---------|---------------|------------------------------------|
| 763-191 | <u>AR103</u> | Tubing Polyflo, 1/4" OD |
| 763-213 | <u>AR213</u> | Graphite Crucible for RH-1E |
| 763-261 | <u>AR261</u> | Filter Paper, Glass Tube |
| 763-263 | <u>AR266</u> | Alphacel 5# - 12 + 20 |
| 763-265 | <u>AR265</u> | Glass Wool, 227g |
| 763-266 | <u>AR027</u> | Alphacel Tungsten, - 20 + 40 |
| 763-295 | <u>AR295</u> | Thermostat, Upper Electrode |
| 763-379 | <u>AR3379</u> | "O" Ring, FP428 |
| 763-467 | <u>AR467</u> | Iron Chip 25# |
| 763-873 | <u>AR3873</u> | Isolation Box Bulb, 28VDC |
| 763-930 | <u>AR930</u> | Activated Charcoal, 454g |
| 764-015 | <u>AR015</u> | Bulb for 532-500, 28VDC |
| 764-078 | <u>AR4078</u> | 1g Calibration Weight |
| 764-098 | <u>AR098</u> | Cellulose Material, 454g |
| 764-216 | <u>AR4216</u> | Helium Regulator Assembly |
| 764-242 | <u>AR242</u> | Tin Flux, 454g Bottle |
| 764-330 | <u>AR331</u> | Graphite Crucible, RH1-EN |
| 764-490 | <u>AR490</u> | Pedestal, 2-3/4" |
| 764-502 | <u>AR4544</u> | Rotron Furnace Fan |
| 764-545 | <u>AR2832</u> | Lube Oil, 4 oz, 0.25% Sulfur |
| 764-546 | <u>AR2835</u> | Lube Oil, 4 oz 1.00% Sulfur |
| 764-547 | <u>AR2836</u> | Lube Oil, 4 oz 2.00% Sulfur |
| 764-640 | <u>AR334</u> | 100 PF Capacitor |
| 764-641 | <u>AR335</u> | 200 PF Capacitor |
| 764-720 | <u>AR064</u> | Quartz Disconnect Tube, CF-10 |
| 764-762 | <u>AR762</u> | Glass Tube 11.88" NP28 |
| 764-775 | <u>AR775</u> | WR-12 Trap Material |
| 765-068 | <u>AR5068</u> | IR Oxygen Cell for RO17 |
| 765-523 | <u>AR523</u> | Oven Fan, Howard Kit |
| 765-624 | <u>AR624</u> | Teflon Tubing 1/4" OD/ft |
| 765-717 | <u>AR917</u> | Oxygen Lance (WR 12) |
| 765-746 | <u>AR746</u> | Rotometer, WR12 |
| 765-818 | <u>AR5818</u> | Optic Isolation Cable |
| 765-933 | <u>AR5933</u> | Lubricool Cooling Agent |
| 765-976 | <u>AR5976</u> | "O" Ring, AC AC100, FP428 |
| 766-036 | <u>AR6036</u> | Pneumatic (Air) Regulator Assembly |
| 766-053 | <u>AR766</u> | Deluxe Crucible Tweezers, Curved |
| 766-363 | <u>AR363</u> | Graphite Crucibles |
| 766-557 | <u>AR6557</u> | "O" Ring |
| 766-646 | <u>AR6646</u> | Air Filter Coating |
| 766-823 | <u>AR823</u> | Male Cliplock Fitting |
| 767-243 | <u>AR243</u> | Female Cliplock Fitting |
| 767-277 | <u>AR277</u> | Graphite Crucibles |
| 767-385 | <u>AR085</u> | Quartz Wool, Coarse, 28.4g |

| | | |
|---------|---------------|------------------------------------|
| 767-500 | <u>AR914</u> | Lance, IR33 |
| 767-518 | <u>AR7518</u> | Retaining Wire Clip Spring |
| 767-541 | <u>AR541</u> | Drying Tube |
| 767-542 | <u>AR542</u> | Scoop for Tungsten, 0.01cc, Small |
| 767-543 | AR3931 | Electrode Repair Service |
| 767-544 | AR3931 | Electrode Repair Service |
| 767-545 | AR3931 | Electrode Repair Service |
| 767-546 | AR3931 | Electrode Repair Service |
| 767-547 | AR3931 | Electrode Repair Service |
| 767-548 | AR3931 | Electrode Repair Service |
| 767-549 | AR3931 | Electrode Repair Service |
| 767-757 | <u>AR1706</u> | Coal Standard, 2.0% Sulfur |
| 767-758 | <u>AR1707</u> | Coal Standard, 2.5% Sulfur |
| 767-759 | <u>AR720</u> | Coke Standard, 0.85% Sulfur |
| 767-838 | <u>AR838</u> | "O" Ring |
| 768-774 | <u>AR043S</u> | Covers, 50/package |
| 768-798 | <u>AR8798</u> | Clean Out Plug for SC32/132/CR |
| 768-944 | <u>AR944</u> | "O" Ring |
| 768-980 | <u>AR980</u> | Particle Filter - SC32/132/RC612 |
| 769-335 | <u>AR469</u> | SS Relay, HF10, 44F 6848 240 D45 |
| 769-473 | AR3931 | Electrode Repair Service |
| 769-520 | <u>AR9520</u> | Graphite Crucibles/RH-2 |
| 769-608 | <u>AR608</u> | Halogen Trap Material 200g |
| 769-610 | <u>AR610</u> | Halogen Trap Material 225g |
| 769-743 | AR3931 | Electrode Repair Service |
| 769-761 | <u>AR761</u> | Crucibles, RH-3, 100/package |
| 769-802 | AR3931 | Electrode Repair Service |
| 769-821 | <u>AR9821</u> | Molecular Sieve for RH-2 |
| 769-897 | <u>AR897</u> | Graphite Pedestal RH-2 & RH-3 |
| 769-898 | <u>AR898</u> | Lower Pedestal |
| 769-994 | <u>AR994</u> | Graphite Crucible for RH-1 |
| 770-247 | <u>AR247</u> | Filter for SC32/132, 4/package |
| 770-436 | <u>AR523</u> | Oven Fan with Adapter |
| 770-718 | <u>AR0718</u> | Printer |
| 770-764 | <u>AR764</u> | Printer Paper |
| 770-778 | <u>AR778</u> | Ribbon Spool Assembly |
| 770-779 | <u>AR7707</u> | Print Head with Cable |
| 771-015 | <u>AR1015</u> | Manual WT Comp Control CS46 |
| 771-030 | <u>AR030</u> | Bubble Tube |
| 771-040 | <u>AR3913</u> | "O" Ring |
| 771-275 | <u>AR1275</u> | Pneumatic Cylinder, CS46/IR112 |
| 771-354 | <u>AR354</u> | Oscillator Tube CS-144-444 |
| 771-367 | <u>AR1367</u> | Quartz Crucibles, DC12, 50/package |
| 771-373 | <u>AR373</u> | Drying Tube |
| 771-401 | <u>AR401</u> | Reaction Tube for RH-2 |

| | | |
|---------|---------------|-------------------------------------|
| 771-407 | <u>AR407</u> | "O" Ring |
| 771-425 | <u>AR1425</u> | Power Triode RH-2, 7.5V |
| 771-446 | <u>AR429</u> | "O" Ring |
| 771-606 | <u>AR606</u> | Pedestal CS-46 & EC-12 |
| 771-883 | <u>AR083</u> | Bubble Tube (EC 12) |
| 771-991 | <u>AR991</u> | "O" Ring O28 |
| 772-005 | <u>AR760</u> | Chart Paper Roll, RH2/3 |
| 772-269 | <u>AR269</u> | "O" Ring |
| 772-381 | <u>AR2381</u> | Lance Cleaning Wire |
| 772-402 | <u>AR2402</u> | Lance SC-32/132/CR-12 |
| 772-403 | <u>AR6403</u> | Drilled Lance Tube, SC432 |
| 772-446 | <u>AR446</u> | Glass Viewing Shield, SC32/132 |
| 772-449 | <u>AR449</u> | Rod, Extensions, Glass Shield |
| 772-456 | <u>AR456</u> | Flow Controller Assembly, Repair |
| 772-457 | <u>AR456</u> | Flow Controller w/o Card, Repair |
| 772-460 | <u>AR2460</u> | Pressure Sensor |
| 772-469 | <u>AR469</u> | Replaced by 781-165 (AR469) |
| 772-508 | <u>AR962</u> | Element for SC32/132/CR12 |
| 772-520 | <u>AR520</u> | "O" Ring SC32, CS244, 344, RC612 |
| 772-522 | <u>AR7073</u> | Thermocouple Only |
| 772-560 | <u>AR2560</u> | Chopper Motor |
| 772-568 | <u>AR233Q</u> | Ceramic Adhesive Alumina, 32oz |
| 772-738 | <u>AR738</u> | "O" Ring |
| 772-739 | <u>AR544</u> | Catalyst Tue (10.75") |
| 772-747 | <u>AR2747</u> | Fan for CS244 |
| 772-795 | <u>AR795</u> | Oven Fan, CS244 & TC136 |
| 772-905 | <u>AR057</u> | Combustion Tube, CS 144-444 |
| 772-906 | <u>AR2906</u> | Combustion Tube Ring Holder |
| 772-910 | <u>AR2910</u> | "O" Ring, Piston Seal, FP228 |
| 773-076 | <u>AR3076</u> | Induction Coil, CS46/HF-768 |
| 773-106 | <u>AR106</u> | Delivery Tube |
| 773-136 | <u>AR3136</u> | Fitting, SS for FP428 |
| 773-140 | <u>AR3140</u> | Inner Metal Filter, CS-46 |
| 773-141 | <u>AR320</u> | "O" Ring |
| 773-311 | <u>AR311</u> | SST Filter |
| 773-314 | <u>AR3314</u> | Unfluted Cleaning Brush |
| 773-316 | <u>AR789</u> | Lance Tube, CS125 |
| 773-320 | <u>AR320</u> | "O" Ring |
| 773-561 | <u>AR561</u> | SS Cleaning Brush, Straight Slotted |
| 773-579 | <u>AR579</u> | Metal Scoop |
| 773-662 | <u>AR3662</u> | Polyflo Flex Tubing, CHN |
| 773-913 | <u>AR3913</u> | "O" Ring |
| 773-928 | <u>AR3928</u> | Delivery Tube for SC32/132 |
| 773-931 | <u>AR9931</u> | Teflon Disconnect Block, SC132 |

| | | |
|---------|---------------|--|
| 773-932 | <u>AR3932</u> | Combustion Tube Repair Service |
| 774-031 | <u>AR4031</u> | Quick Disconnect Tube 1.38" OD |
| 774-174 | <u>AR4174</u> | Purge Tube |
| 774-204 | <u>AR4204</u> | AC Crucibles, SST, 10/package |
| 774-205 | <u>AR205</u> | Firing Wire, 300 Determinations x 0.006" Dia |
| 774-208 | <u>AR208</u> | Benzoic Acid Tablet, 10/vial |
| 774-211 | <u>AR4211</u> | "O" Ring 2.6 x 2.875 |
| 774-253 | <u>AR4253</u> | "O" Ring |
| 774-283 | <u>AR4283</u> | "O" Ring |
| 774-425 | <u>AR432</u> | "O" Ring, Closure Block |
| 774-460 | <u>AR460</u> | Thermocouple Assembly SC32/132/CR12 |
| 774-489 | <u>AR489</u> | "O" Ring, Upper Electrode |
| 774-570 | <u>AR4570</u> | Vacuum Pump for Early SC32 110VAC |
| 774-571 | <u>AR4571</u> | Vacuum Pump for SC32/132, 24VDC |
| 774-613 | <u>AR4613</u> | "O" Ring, HF400 Pinch Valve |
| 774-638 | <u>AR638</u> | Disco Tube, 6" Straight, RO116 |
| 774-649 | <u>AR653</u> | Cleaning Brush with Handle |
| 774-652 | <u>AR652</u> | Brush for TC-136 |
| 774-690 | <u>AR690</u> | Knurled ring Collar, EF100/EF500 |
| 774-691 | <u>AR691</u> | Replaced by 618-482 |
| 774-692 | <u>AR692</u> | Lower Electrode Exchange/Repair Only |
| 774-809 | <u>AR809</u> | Induction Coil HF10, S/Oil |
| 774-841 | <u>AR841</u> | Thermistor Sensor, Lower Drain |
| 775-288 | <u>AR3403</u> | Benzoic Acid Powder, 454g |
| 775-306 | <u>AR5306</u> | Secondary Filter |
| 775-312 | <u>AR312</u> | "O" Ring, Lower Electrode |
| 775-313 | <u>AR313</u> | Teflon Backup Ring |
| 775-314 | <u>AR314</u> | "O" Ring, Piston Block |
| 775-330 | <u>AR5330</u> | Four Way Valve |
| 775-355 | <u>AR355</u> | Catalyst Tube, 10.75" |
| 775-416 | <u>AR293</u> | Cleaning Brush, TC-136, TN-14 |
| 775-416 | <u>AR293H</u> | Brush Handle |
| 775-431 | <u>AR431</u> | Inner Graphite Crucible 1000/package |
| 775-433 | <u>AR433</u> | Outer Graphite Crucible 50/package |
| 775-446 | <u>AR3930</u> | Electrode Insert Repair Service |
| 775-601 | <u>AR601</u> | Bubble Tube, Left |
| 775-625 | <u>AR625</u> | Momentary Push Switch |
| 775-677 | <u>AR677</u> | "O" Ring |
| 775-722 | <u>AR456</u> | Flow Controller, Repair Service |
| 775-814 | <u>AR402</u> | Reaction Tube, Thick Wall, RH2/3 |
| 775-859 | <u>AR5859</u> | Wire Cleaning Brush, SC32/132 |
| 775-880 | <u>AR880</u> | Quick Disconnect Tube, 4"x, Straight, FP228 |
| 775-892 | <u>AR431P</u> | Inner Graphite Crucible, 100/package |
| 776-017 | <u>AR6017</u> | "O" Ring, Ballast Plate, Truspec |

| | | |
|---------|---------------|---|
| 776-095 | <u>AR095</u> | Silicone Tubing Dust Coll. |
| 776-129 | <u>AR129</u> | Induction Coil, CS144-444 |
| 776-234 | <u>AR6234</u> | 10 Micron Filter, 1gpm |
| 776-247 | <u>AR053</u> | Graphite Crucibles |
| 776-265 | <u>AR6265</u> | Adjustable Pedestal Assembly, 923/4060/6922 |
| 776-279 | <u>AR279</u> | Catalyst Heater Tube |
| 776-283 | <u>AR283</u> | Quartz Lance CHN-600/800 |
| 776-284 | <u>AR284</u> | "O" Ring, Combustion Tube FP228 |
| 776-286 | <u>AR286</u> | Combustion Tube CHN 600 |
| 776-685 | <u>AR6685</u> | Tyna-Mite Solenoid |
| 776-992 | <u>AR6922</u> | Shield & Collar for Pedestal |
| 776-923 | <u>AR923</u> | Quartz Pedestal Post CS144-444 |
| 776-931 | <u>AR606</u> | Pedestal HF10/20 |
| 776-962 | <u>AR962</u> | Element for SC32/132/CR12 |
| 776-978 | <u>AR978</u> | Glass Scoop, MAC 400 |
| 777-060 | <u>AR7060</u> | Quartz Combustion Tube, SC32/132 |
| 777-064 | <u>AR928</u> | Pyrex Delivery Tube for AR7060 |
| 777-066 | <u>AR7066</u> | Quartz Liner for AR7060 |
| 777-073 | <u>AR7073</u> | Thermocouple |
| 778-114 | <u>AR8114</u> | "O" Ring 111 |
| 778-116 | <u>AR8116</u> | "O" Ring 256, Ballast, FP228 |
| 778-120 | <u>AR781</u> | Neoprene Gasket, Ballast, FP228 |
| 778-379 | <u>AR8380</u> | Combustion Tube Insulator, FP528 |
| 778-492 | <u>AR456</u> | Flow Controller, Repair Service |
| 778-596 | <u>AR596</u> | SST Filter |
| 778-674 | <u>AR674</u> | Graphite Crucible, 2g |
| 778-891 | <u>AR8891</u> | Crucible, Quartz, Large, EA |
| 778-892 | <u>AR8892</u> | Cover, Quartz, Large, EA |
| 780-044 | <u>AR609</u> | Assembly Sample Puller |
| 780-047 | <u>AR1202</u> | Reaction Tube for DH102 |
| 780-093 | <u>AR093</u> | Quartz Crucible, MAC400 |
| 780-094 | <u>AR094</u> | Quartz Crucible Cover, MAC400 |
| 780-379 | <u>AR379</u> | Quartz Window |
| 780-831 | <u>AR831</u> | "O" Ring, CHN 1000 Lance |
| 780-853 | <u>AR853</u> | Thermistor, Level |
| 780-890 | <u>AR7808</u> | Large Graphite Crucible, 1000/package |
| 780-892 | <u>AR0892</u> | Graphite Covers for AR7808, 1000/package |
| 780-899 | <u>AR899</u> | Honeycomb Support, 1.25W x 1.5L FP |
| 780-911 | <u>AR910</u> | Catalyst Heater Tube |
| 780-927 | <u>AR927</u> | Printer Paper Roll |
| 780-928 | <u>AR926</u> | Printer Ribbon |
| 780-953 | <u>AR922</u> | Pedestal CS-125 |
| 781-098 | <u>AR1098</u> | Thermistor, High Water |
| 781-101 | <u>AR101</u> | Thermistor, Low Water |

| | | |
|-------------|----------------|--|
| 781-165 | <u>AR469</u> | SS Relay TC136 44F 6848 240 D45 |
| 781-273 | <u>AR028</u> | Ceramic Crucible Tray |
| 781-335 | <u>AR1335</u> | Quartz Boat for RC-412, RC612 |
| 781-371 | <u>AR371</u> | Fan for CS244, 240V, 50/60Hz |
| 781-424 | <u>AR1424</u> | "O" Ring |
| 781-585 | <u>AR1585</u> | Over Temp Thermocouple, RC612 |
| 781-671 | <u>AR671</u> | Ink Jet Printer Paper |
| 781-698 | <u>AR1698</u> | Catalyst Tube RF402, Quartz, 10.75" |
| 781-883 | <u>AR1883</u> | Ink Jet Paper 500 |
| 781-902 | <u>AR902</u> | Ink Jet Cartridge |
| 782-004 | <u>AR928</u> | Delivery Tube SC132/32/CR-12 |
| 782-010 | <u>AR7060</u> | Quartz Combustion Tube |
| 782-038 | <u>AR2038</u> | Combustion Tube for RC-412 |
| 782-059 | <u>AR2059</u> | Nickel Boat Liners, 10/package for AR1335 |
| 782-079-110 | <u>AR9023</u> | Ceramic Boat Stop, Hi Flow |
| 782-079-115 | <u>AR9110</u> | Ceramic Boat Stop, Medium Flow |
| 782-079-120 | <u>AR9022</u> | Ceramic Boat Stop, Low Flow |
| 782-338 | <u>AR2338</u> | Moisture Removal Tube, Indicating |
| 782-428 | <u>AR2428</u> | Quartz Catalyst Tube, RC-412 |
| 782-534 | <u>AR3930</u> | Electrode Insert Repair Service |
| 782-601 | <u>AR2601</u> | Vacuum Cleaner |
| 782-703 | <u>AR2703</u> | Hi Purity Outer Graphite Crucible 1000/package |
| 782-703-100 | <u>AR2703P</u> | Hi Purity Outer Graphite Crucible 100/package |
| 782-719 | <u>AR782P</u> | Hi Temp Graphite Crucible, 200/package |
| 782-720 | <u>AR782</u> | Graphite Crucible TC436, 1000/package |
| 782-720S | <u>AR720S</u> | Graphite High Temp Crucible |
| 782-720SHD | <u>AR872HD</u> | Graphite Hi-Density Hi-Temp Crucible |
| 782-721 | <u>AR721</u> | Hi-Temp Electrode Insert |
| 782-795 | <u>AR2795</u> | Inner Crucible for AR2703 1000/package |
| 782-835 | <u>AR3930</u> | Electrode Insert Repair Service |
| 782-877 | <u>AR877</u> | Trim Step Brush for 782-918 |
| 782-880 | <u>AR2880</u> | Vacuum Filter for CS444 |
| 782-918 | <u>AR877H</u> | Handle Only for AR877 |
| 782-938 | <u>AR938</u> | Composite Brush for 782-942 |
| 782-942 | <u>AR938H</u> | Handle Only for AR938 |
| 783-177 | <u>AR962</u> | Heating Element for SC32/132, CR12 |
| 783-189 | <u>AR3189</u> | "O" Ring, CHN1000 |
| 783-190 | <u>AR3897</u> | "O" Ring, CHN1000 Replaced by 783-897 |
| 783-193 | <u>AR8343</u> | CHN1000 Furnace Element with Insulation |
| 783-274 | <u>AR278</u> | Lance Only without Metal Ring |
| 783-278 | <u>AR278</u> | Furnace Lance, CHN1000 |
| 783-299 | <u>AR2038</u> | Combustion Tube for RC-412 |
| 783-301 | <u>AR3301</u> | Brush End, .38 Diameter |
| 783-302 | <u>AR3302</u> | Brush End Modified |

| | | |
|-------------|---------------|---|
| 783-515 | <u>AR515</u> | "O" Ring |
| 783-897 | <u>AR3897</u> | "O" Ring CH1000 |
| 789-094 | <u>AR618</u> | Trap Assembly, Mol Sieve, WR-12/112 |
| 789-114 | <u>AR6317</u> | Stainless Purge Tube for SC432 |
| 789-115 | <u>AR789</u> | Lance Tube Assembly, CS225, w/o Autocleaner 4.28" |
| 789-116 | <u>AR4174</u> | Purge Tube, SC32/132 |
| 789-118 | <u>AR9118</u> | Lance Tube Assembly, 5.12 LG, CS225 |
| 789-122 | <u>AR2601</u> | Vacuum Cleaner, Specify 110/220 VAC |
| 789-412 | <u>AR9412</u> | Catalyst Tube, TC500, RC612 |
| 874-000-181 | <u>AR4181</u> | Nickel Boat, Small for LECO AMA 245Hg |